

### Past Six Month Drug Use

Drug name	Recently used <input checked="" type="checkbox"/>	Drug name	Recently used <input checked="" type="checkbox"/>
MDMA/Ecstasy pills (non-prescribed)		PMA	
MDMA/Ecstasy powder (non-prescribed)		PMMA	
MDMA/Ecstasy crystal (non-prescribed)		Amyl nitrite/alkyl nitrite (poppers, jungle juice)	
MDMA/Ecstasy capsules (non-prescribed)		Nitrous oxide (nangs, bulbs)	
Methamphetamine powder (speed)		Cannabis and/or cannabinoid-related products	Prescribed/non-prescribed
Methamphetamine base (paste)		Tobacco (this includes tobacco that has been mixed with cannabis)	
Methamphetamine crystal (ice)		E-cigarettes/vapes	Prescribed/non-prescribed
Pharmaceutical stimulants (e.g., Ritalin/dexamfetamine/modafinil, lisdexamfetamine)	Prescribed/non-prescribed	Nicotine pouches	
Babazine		Alcohol	
Cocaine		Heroin	
LSD (acid)		Codeine	Prescribed/non-prescribed
Hallucinogenic mushrooms/psilocybin (non-prescribed)		Pharmaceutical opioids	Prescribed/non-prescribed
MDA		Benzodiazepines (e.g., Valium, Diazepam, Xanax, Kalma)	Prescribed/non-prescribed
Ketamine (special K) (non-prescribed)		Steroids (non-prescribed)	
GHB/GBL/1,4-BD (liquid E, Fantasy)		Antipsychotics (e.g., Seroquel) (non-prescribed)	
DMT		Unknown substance	

**Past Six-Month Drug Use Service Utilisation**

<b>SERVICE/PROFESSIONAL</b>	
1	<b>GP in person</b>
	<b>GP via telehealth</b>
2	<b>Emergency Department</b>
3	<b>Hospital admission (inpatient)</b>
4	<b>Medical tent (at festival/rave)</b>
	<b>Dentist</b>
5	<b>Drug and alcohol counsellor</b>
6	<b>Hospital as outpatient</b>
7	<b>Specialist doctor (not including psychiatrist)</b>
9	<b>Other health professional (i.e., chiropractor, nurse, physiotherapist)</b>
10	<b>Ambulance attendance</b>
19	<b>Pharmacy</b>
13	<b>Psychiatrist</b>
11	<b>Psychologist</b>
15	<b>Needle and syringe program</b>
16	<b>Peer-based harm reduction service (DanceWize, Save-A-Mate)</b>
17	<b>Other harm reduction service</b>
18	<b>Other (specify)</b>

## **New Psychoactive Substances (NPS)**

<b>1</b>	<b>'New' drugs that mimic the effects of ecstasy</b>
1.1	Mephedrone
1.2	Methylone
1.3	N-ethylpentylone (ephylone)
1.4	N-ethylbutylone (eutylone)
1.5	Other (specify)
<b>2</b>	<b>'New' drugs that mimic the effects of amphetamines or cocaine</b>
2.1	3-chloromethcathinone (e.g., 3-CMC; clophedrone)
2.2	3-Methylmethcathinone
2.3	4-Chloromethcathinone
2.4	4-FA
2.5	Alpha-PHP
2.6	Alpha PVP
2.7	Dimethylpentylone
2.8	MDPV
2.9	Methcathinone
2.10	N-Ethylhexedrone
2.11	Other (specify)
<b>3</b>	<b>'New' drugs that mimic the effects of opioids</b>
3.1	Acetylfentanyl
3.2	Acryloyfentanyl
3.3	Carfentanil
3.4	Etodesnitazene
3.5	Furanylfentanyl
3.6	Isotonitazene
3.7	Metonitazene
3.8	Other fentanyl analogues (specify)
3.9	Other nitazene (specify)
3.10	Protonitazene
3.11	U-47700
3.12	W-18
3.13	Other (specify)
<b>4</b>	<b>'New' drugs that mimic the effects of cannabis</b>
4.1	4F-MDMB-BUTICA
4.2	ADB-BUTINACA
4.3	FUB-AM
4.4	K2/Spice
4.5	Kronic
4.6	MDMB-4en-PINACA
4.7	MDMB-CHMICA
4.8	Other (specify)
<b>5</b>	<b>'New' drugs that mimic the effects of psychedelic drugs</b>
5.1	2C - any (e.g., 2C-I, 2C-B)
5.2	4-AcO-DMT

<b>5.3</b>	5-MeO-DMT
<b>5.4</b>	Dox (e.g., DOB, DOC, DOI, DOM)
<b>5.5</b>	NBOH (e.g., 25I, 25B)
<b>5.6</b>	NBOMe (e.g., 25I, 25B, 25C, others)
<b>5.7</b>	Other (specify)
<b>6</b>	<b>'New' drugs that mimic the effects of benzodiazepines</b>
<b>6.1</b>	8-Aminoclonazepam
<b>6.2</b>	Bromazolam
<b>6.3</b>	Clobromazolam
<b>6.4</b>	Clonazolam
<b>6.5</b>	Etizolam
<b>6.6</b>	Flualprazolam
<b>6.7</b>	Flubromaxepam
<b>6.8</b>	Phenazolam
<b>6.9</b>	Other (specify)
<b>7</b>	<b>'New' drugs that mimic the effects of dissociatives</b>
<b>7.1</b>	2F-2-oxo PCE
<b>7.2</b>	2-Fluorodeschloroketamine (2-FDCK)
<b>7.3</b>	3 CI-PCP/4CI-PCP
<b>7.4</b>	3F-2-oxo-PCE
<b>7.5</b>	3-HO-PCP/4-HO-PCP
<b>7.6</b>	3-MeO-PCP/4-MeO-PCP
<b>7.7</b>	Fluorexatamine
<b>7.8</b>	Methoxetamine
<b>7.9</b>	Tiletamine
<b>7.10</b>	Other (specify)
<b>8</b>	<b>'New' drugs that mimic the effect of any other NPS</b>
<b>8.1</b>	Specify

## Scale Sheet

### **Criminal Activity**

*The next set of questions are about types of crime you may have been involved in recently. Please remember your answers are completely confidential.*

- Never ..... 0  
Less than once a week..... 1  
Once a week ..... 2  
More than once a week ..... 3  
Daily ..... 4

### **AUDIT**

*These questions are related to your use of alcohol in the last year. Remember, any information you provide is completely confidential.*

- Never..... 0  
Less than monthly..... 1  
Monthly ..... 2  
Weekly..... 3  
Daily or almost daily..... 4

### **Ecstasy and Methamphetamine SDS**

*This section is about how you felt about your ecstasy and methamphetamine use in the last 6 months.*

- Never or almost never ..... 0  
Sometimes..... 1  
Often..... 2  
Always or nearly always ..... 3

### **Kessler Psychological Distress Scale (K10)**

*These questions are related to how you have been feeling over the last 4 weeks. Remember, any information you provide is completely confidential.*

- None of the time ..... 1  
A little of the time ..... 2  
Some of the time ..... 3  
Most of the time ..... 4  
All of the time ..... 5

### **ADHD (QLD Only)**

*The next set of questions are about experiences you have had in the past 6 months.*

- Never ..... 0  
Rarely..... 1  
Sometimes..... 2  
Often..... 3  
Very often ..... 4

## Nitrous Oxide

### Nitrous oxide product size examples

Bulbs ~8g



Bottles  $\leq$ 1000g

(common sizes = 0.95L/~580g; 1L/~615g)



Bottles  $>$ 1000g

(common sizes = 2.2L/~1100g; 3.3L/~2100g)



**Strategies in place at the last music event you attended**

✓	
	Drug detection dogs
	Police checks outside venue
	Police patrols inside venue
	Identified security or crowd control
	Bag checking
	Bottle checking
	Limits on bringing alcohol in the venue
	Proof of age checks
	Limits on number of alcohol drinks that can be purchased at once
	Free drinking water
	Freely accessible shaded areas/chill out spaces
	Easy access food
	Signs for things like free water, sunscreen and first aid
	On-site medical services (e.g. first aid/ St Johns Ambulance tents)
	Drug information services
	Drug checking/testing services
	Limits on numbers (to avoid overcrowding)
	Messaging about reducing harm from alcohol and drug use
	Walk through cooling tents
	Water sprinklers on stages/tents
	Roaming first aiders / support people
	Information on your legal rights
	Ticket sales to approved guests only
	Restricted ticket sales
	Other (specify)
	Don't know
	Skip question

## Risk Communication

### Example drug warnings:

#### **NSW Health has issued a drug warning:**

Fentanyl and acetyl fentanyl are circulating in Sydney and may be sold as methamphetamine.

These drugs are dangerous and can cause overdose and death.

Look out for unexpected effects such as drowsiness, slow breathing, loss of consciousness

Stay safe:

- Ring 000 if you or anyone else experiences these symptoms
- Don't use alone
- Carry naloxone
- Test your drugs the best way you can
- 

#### **Drug Warning**



Light blue "Lego" MDMA pills circulating in NSW

- Up to 3x common strength
- Dose may be variable in pill

Remember:

- Dropping in the heat is riskier
- High temps increase the neurotoxic effects of MDMA
- If you're planning on taking don't peak in the heat

Look out for:

- Excessive sweating or stopping sweating when active/hot
- Uncontrolled repetitive movements
- Confusion or agitation

Get your mates help if they are in trouble

Stay safe

- Stay as hydrated and as cool as possible
- Avoid mixing and don't use alone
- Seek medical help ASAP or call 000 if unwell

### Drug Checking

**(a) Why did you use the drug checking service?**

✓	
	I haven't used the service myself (i.e., my drugs were submitted by someone else)
	Already used the drug and suspected it contains adulterant(s) or different drug than expected
	Intend to use the drugs and suspected it contains adulterant(s) or different drug than expected
	Want to share information about drug contents with others I'm sharing the drug with
	Want the service to share information about drug contents with the broader community
	Want to keep myself as safe as possible when using the drug
	Curious as to how testing and the service works
	Wanted harm reduction advice
	Wanted to support the service
	Saw a drug alert about the substance and wanted to get contents tested
	Received anecdotal information about the substance and wanted to get contents tested
	To know what I'm taking
	Other (specify)
	Don't know
	Skip question

**(b) Why haven't you submitted your drugs for testing at an event based drug checking service?**

✓	
	I was not using drugs at the festival where drug checking was available
	Do not support drug checking
	Not worried about the risk from the unknown contents of my drugs
	Trust my provider/dealer gives me accurate information about drug contents
	I/my friends had tried/tested the drugs prior to the festival
	I engage in other harm reduction practices (e.g., starting with a small amount) so don't think drug checking is necessary
	Didn't know where the service was located/was too difficult to find
	Service entrance was too public
	Prefer to keep my drug use private
	Concern that I will be seen using the service
	Fear of arrest/getting in trouble with the police from accessing the service
	The test results aren't comprehensive (i.e., might not identify everything)
	The test results aren't reliable
	Have to provide too much of the drug to be tested
	Have to wait too long for test results
	Service was too busy, or was at capacity and not accepting more samples
	I was too busy
	Other (specify)
	Don't know
	Skip question

**Drug checking continued.**

**(c) Why haven't you submitted drugs for testing at this [fixed site] service?**

✓	
	I was not aware there was a service available
	Do not support drug checking
	Not worried about the risk from the unknown contents of my drugs
	Trust my provider/dealer gives me accurate information about drug contents
	Have other means of testing my drugs (e.g., colorimetric reagent kit)
	I engage in other harm reduction practices (e.g., starting with a small amount) so don't think drug checking is necessary
	Didn't know the service had opened
	Didn't know where the service was located/was too difficult to find
	Service is too far from where I live
	Service is too far from where I get or use drugs
	Service opening times are not convenient
	Service entrance is too public
	Prefer to keep my drug use private
	Concern that I will be seen using the service
	Someone else tests my drugs for me at the service
	Fear of arrest/getting in trouble with police from accessing the service
	Service is only for people who use certain types of drugs
	The test results aren't comprehensive (i.e., might not identify everything)
	The test results aren't reliable
	Have to provide too much of the drug to be tested
	Have to wait too long for test results
	Service was too busy
	Drug use is too spontaneous for me to use the service
	Other (Specify)
	Don't know
	Skip question

## Modes of Purchasing

### **Social networking and messaging**


**apps:** Refers to a type of online community such as Facebook or Instagram; messaging apps such as Whatsapp and snapchat; and dating apps like grindr and tinder.



**Surface web:** Any website accessible without the need for any special connection routing with a '.com' address.



**Dark web:** Any website only accessible via The Onion Router (TOR) with a '.onion' URL (e.g. Dark Market, White House Market, Monopoly Market, Cannazon).



**Face-to-Face:** Refers to purchasing illicit drugs in person.

