


Past Six Month Drug Use

Drug name	Recently used ☒	Drug name	Recently used ☒
MDMA/Ecstasy pills (non-prescribed)		PMA	
MDMA/Ecstasy powder (non-prescribed)		PMMA	
MDMA/Ecstasy crystal (non-prescribed)		Amyl nitrite/alkyl nitrite (poppers, jungle juice)	
MDMA/Ecstasy capsules (non-prescribed)		Nitrous oxide (nangs, bulbs)	
Methamphetamine powder (speed)		Cannabis and/or cannabinoid-related products	Prescribed/non-prescribed
Methamphetamine base (paste)		Tobacco (this includes tobacco that has been mixed with cannabis)	
Methamphetamine crystal (ice)		E-cigarettes/vapes	Prescribed/non-prescribed
Pharmaceutical stimulants (e.g., Ritalin/dexamfetamine/modafinil, lisdexamfetamine)	Prescribed/non-prescribed	Nicotine pouches	
Babazine		Alcohol	
Cocaine		Heroin	
MDA		Codeine	Prescribed/non-prescribed
LSD (acid)		Pharmaceutical opioids	Prescribed/non-prescribed
Hallucinogenic mushrooms/psilocybin (non-prescribed)		Benzodiazepines (e.g., Valium, Diazepam, Xanax, Kalma)	Prescribed/non-prescribed
Ketamine (non-prescribed)		Steroids (non-prescribed)	
GHB/GBL/1,4-BD (G, liquid E, Fantasy)		Antipsychotics (e.g., Seroquel) (non-prescribed)	
DMT		Unknown substance	

Tobacco products

Branded cigarette packs (i.e. cigarette packs that <u>do not</u> feature plain packaging or graphic health warnings)	
Unbranded cigarette packs (i.e., cigarette packs that <u>do</u> feature plain packaging or graphic health warnings)	
Unbranded loose tobacco ('chop chop')	
Other	      

New Psychoactive Substances (NPS)

1	'New' drugs that mimic the effects of ecstasy
1.1	Mephedrone
1.2	Methylone
1.3	N-ethylpentylone (ephylone)
1.4	N-ethylbutylone (eutylone)
1.5	Other (specify)
2	'New' drugs that mimic the effects of amphetamines or cocaine
2.1	3-chloromethcathinone (e.g., 3-CMC; clophedrone)
2.2	3-Methylmethcathinone
2.3	4-Chloromethcathinone
2.4	4-FA
2.5	Alpha-PHP
2.6	Alpha-PVP
2.7	Dimethylpentylone
2.8	MDPV
2.9	Methcathinone
2.10	N-Ethylhexedrone
2.11	Other (specify)
3	'New' drugs that mimic the effects of opioids
3.1	Acetylfentanyl
3.2	Acryloyfentanyl
3.3	Carfentanil
3.4	Etodesnitazene
3.5	Furanylfentanyl
3.6	Isotonitazene
3.7	Metonitazene
3.8	Orphines (specify)
3.9	Other fentanyl analogues (specify)
3.10	Other nitazene (specify)
3.11	Protonitazene
3.12	U-47700
3.13	W-18
3.14	Other (specify)
4	'New' drugs that mimic the effects of cannabis
4.1	4F-MDMB-BUTICA
4.2	ADB-BUTINACA
4.3	FUB-AM
4.4	K2/Spice
4.5	Kronic
4.6	MDMB-4en-PINACA
4.7	MDMB-CHMICA
4.8	Other (specify)

5	'New' drugs that mimic the effects of psychedelic drugs
5.1	2C - any (e.g., 2C-I, 2C-B)
5.2	4-AcO-DMT
5.3	5-MeO-DMT
5.4	Dox (e.g., DOB, DOC, DOI, DOM)
5.5	NBOH (e.g., 25I, 25B)
5.6	NBOMe (e.g., 25I, 25B, 25C, others)
5.7	Other (specify)
6	'New' drugs that mimic the effects of benzodiazepines
6.1	8-Aminoclonazepam
6.2	Bromazolam
6.3	Clobromazolam
6.4	Clonazolam
6.5	Etizolam
6.6	Flualprazolam
6.7	Flubromaxepam
6.8	Phenazolam
6.9	Other (specify)
7	'New' drugs that mimic the effects of dissociatives
7.1	2F-2-oxo PCE
7.2	2-Fluorodeschloroketamine (2-FDCK)
7.3	3 CI-PCP/4CI-PCP
7.4	3-HO-PCP/4-HO-PCP
7.5	3-MeO-PCP/4-MeO-PCP
7.6	Fluorexatamine
7.7	Methoxetamine
7.8	Tiletamine
7.9	Other (specify)
8	'New' drugs that mimic the effect of any other NPS
8.1	Specify

Past Six-Month Drug Use Service Utilisation

SERVICE/PROFESSIONAL	
1	GP in person
2	GP via telehealth
3	Emergency Department
4	Hospital admission (inpatient)
5	Medical tent (at festival/rave)
6	Dentist
7	Drug and alcohol counsellor
8	Hospital as outpatient
9	Specialist doctor (not including psychiatrist)
10	Other health professional (i.e., chiropractor, nurse, physiotherapist)
11	Ambulance attendance
12	Pharmacy
13	Psychiatrist
14	Psychologist
15	Needle and syringe program
16	Peer-based harm reduction service (DanceWize, Save-A-Mate)
17	Other harm reduction service
18	Other (specify)

Scale Sheet

Kessler Psychological Distress Scale (K10)

These questions are related to how you have been feeling over the last 4 weeks. Remember, any information you provide is completely confidential.

- None of the time 1
A little of the time 2
Some of the time 3
Most of the time 4
All of the time 5

ADHD

The next set of questions are about experiences you have had in the past 6 months.

- Never 0
Rarely 1
Sometimes 2
Often 3
Very often 4

AUDIT

These questions are related to your use of alcohol in the last year. Remember, any information you provide is completely confidential.

- Never 0
Less than monthly 1
Monthly 2
Weekly 3
Daily or almost daily 4

Ecstasy and Methamphetamine SDS

This section is about how you felt about your ecstasy and methamphetamine use in the last 6 months.

- Never or almost never 0
Sometimes 1
Often 2
Always or nearly always 3

Criminal Activity

The next set of questions are about types of crime you may have been involved in recently. Please remember your answers are completely confidential.

- Never 0
Less than once a week 1
Once a week 2
More than once a week 3
Daily 4

Nitrous Oxide

Nitrous oxide product size examples

Bulbs ~8g



Bottles $\leq 1000\text{g}$
(common sizes = 0.95L/~580g; 1L/~615g)



Bottles $> 1000\text{g}$
(common sizes = 2.2L/~1100g; 3.3L/~2100g)



Drug Alerts

In the last 12 months, have you seen or heard about any of the following alerts in Australia about illicit drugs which may carry a higher risk for overdose or other harms?

✓	
	Higher or variable dose MDMA/'ecstasy'
	MDMA/'ecstasy' containing other drugs (e.g., pentylone, dimethylpentylone, PMMA, MDA, opioids)
	Cocaine containing other drugs (e.g., fentanyl, heroin)
	Methamphetamine containing other drugs (e.g., fentanyl)
	Ketamine containing other drugs (e.g., 3-hydroxy-PCP, protonitazene, fluoro-2-oxo-pce)
	Fake benzodiazepine tablets containing other drugs (e.g., Xanax containing etizolam or opioids, Kalma containing opioids)
	Heroin containing other drugs (e.g., fentanyl, nitazene)
	Pharmaceutical opioids containing other drugs (e.g. oxycodone containing metonitazene)
	LSD containing other drugs (e.g., 25B-NBOH)
	Nitazenes (including protonitazenes, metonitazene)
	Other (specify)
	None
	Don't know
	Skip question

Example drug warnings:

NSW Health has issued a drug warning:

Fentanyl and acetyl fentanyl are circulating in Sydney and may be sold as methamphetamine. These drugs are dangerous and can cause overdose and death.

Look out for unexpected effects such as drowsiness, slow breathing, loss of consciousness

Stay safe:

- Ring 000 if you or anyone else experiences these symptoms
- Don't use alone
- Carry naloxone
- Test your drugs the best way you can

Drug Warning



Light blue "Lego" MDMA pills circulating in NSW

- Up to 3x common strength
- Dose may be variable in pill

Remember:

- Dropping in the heat is riskier
- High temps increase the neurotoxic effects of MDMA
- If you're planning on taking don't peak in the heat

Look out for:

- Excessive sweating or stopping sweating when active/hot
- Uncontrolled repetitive movements
- Confusion or agitation

Get your mates help if they are in trouble

Stay safe

- Stay as hydrated and as cool as possible
- Avoid mixing and don't use alone
- Seek medical help ASAP or call 000 if unwell

Festivals in Australia

Victoria (VIC) through the Victorian Pill Testing Service (ongoing trial)

Pitch Music and Arts: 6–10 March 2026.

Victoria's Pride Street Party: 8 February 2026.

Dangerous Goods 6XXL: 24 January 2026.

Spilt Milk Ballarat: 6 December 2025.

The Warehouse Project: 25 April 2025.

Ultra Music Festival: 12 April 2025.

New South Wales (NSW) – through the NSW drug checking trial

Laneway Festival Sydney: 8 February 2026.

HTID: 24 January 2026.

Field Day: 1 January 2026.

Lost Paradise: 28 December 2025 – 1 January 2026.

EPIK: 13 December 2025.

Knockout Outdoor: 4 October 2025.

Hyperdome: 7 June 2025.

Midnight Mafia: 3 May 2025.

Australian Capital Territory (ACT)

Spilt Milk Canberra: 22 November 2025.

While the ACT primarily uses the CanTEST fixed site in Canberra City, mobile services often appear at major local events.

Drug Checking

(a) Why did you use the drug checking service?

✓	
	I haven't used the service myself (i.e., my drugs were submitted by someone else)
	Already used the drug and suspected it contains adulterant(s) or different drug than expected
	Intend to use the drugs and suspected it contains adulterant(s) or different drug than expected
	Want to share information about drug contents with others I'm sharing the drug with
	Want the service to share information about drug contents with the broader community
	Want to keep myself as safe as possible when using the drug
	Curious as to how testing and the service works
	Wanted harm reduction advice
	Wanted to support the service
	Saw a drug alert about the substance and wanted to get contents tested
	Received anecdotal information about the substance and wanted to get contents tested
	To know what I'm taking
	Other (specify)
	Don't know
	Skip question

Drug checking continued.

(b) **Why haven't you submitted your drugs for testing at an event-based drug checking service?**

✓	
	I was not using drugs at the festival where drug checking was available
	Do not support drug checking
	Not worried about the risk from the unknown contents of my drugs
	Trust my provider/dealer gives me accurate information about drug contents
	I/my friends had tried/tested the drugs prior to the festival
	I engage in other harm reduction practices (e.g., starting with a small amount) so don't think drug checking is necessary
	Didn't know where the service was located/was too difficult to find
	Service entrance was too public
	Prefer to keep my drug use private
	Concern that I will be seen using the service
	Fear of arrest/getting in trouble with the police from accessing the service
	The test results aren't comprehensive (i.e., might not identify everything)
	The test results aren't reliable
	Have to provide too much of the drug to be tested
	Have to wait too long for test results
	Service was too busy, or was at capacity and not accepting more samples
	Drug use was too spontaneous for me to use the service
	Someone else was holding onto my drugs
	Another friend got the same batch tested at the festival
	I was too busy
	Other (specify)
	Don't know
	Skip question

Drug checking continued (ACT or VIC).

(c) Why haven't you submitted drugs for testing at this [fixed site] service?

☒	
☐	I was not aware there was a service available
☐	Do not support drug checking
☐	Not worried about the risk from the unknown contents of my drugs
☐	Trust my provider/dealer gives me accurate information about drug contents
☐	Have other means of testing my drugs (e.g., colorimetric reagent kit)
☐	I use other harm reduction practices (e.g., starting with a small amount) so don't think drug checking is necessary
☐	Didn't know the service had opened
☐	Didn't know where the service was located/was too difficult to find
☐	Service is too far from where I live
☐	Service is too far from where I get or use drugs
☐	Service opening times are not convenient
☐	Service entrance is too public
☐	Prefer to keep my drug use private
☐	Concern that I will be seen using the service
☐	Someone else tests my drugs for me at the service
☐	Fear of arrest/getting in trouble with police from accessing the service
☐	This service isn't useful or relevant to my use
☐	The test results aren't comprehensive (i.e., might not identify everything)
☐	The test results aren't reliable
☐	Have to provide too much of the drug to be tested
☐	Have to wait too long for test results
☐	Service was too busy
☐	Drug use is too spontaneous for me to use the service
☐	Other (Specify)
☐	Don't know
☐	Skip question

Drug-related behaviours

The last time you used ecstasy or related drugs (e.g., MDA, methamphetamine, cocaine, LSD, ketamine, mephedrone, or other stimulant NPS), did you do any of the following:

✓	
	None
	Tested the contents/purity of my illicit drugs (e.g., colorimetric or reagent testing kit) before use
	Consumed a test dose (i.e. started with a smaller amount to see what it was like)
	Obtained information from friends/others who had already tried the substance from the same batch
	Searched online for reports of the drug by its stamp/appearance before use
	Pre-planned the amount of drugs I wanted to use (and stuck to that plan)
	Spread out doses (e.g., waited certain length of time before redosing)
	Measured dose with scales before consuming
	Consumed water regularly while using
	Made efforts (e.g., took regular breaks from dancing) to stay cool
	Ensured I was with people who knew I was using drugs
	Avoided combining drugs that might interact to have negative effects (e.g., overdose)
	Used other illicit/prescription drugs to reduce likelihood of unpleasant or harmful experiences (e.g., used one drug to lessen the come down from another drug)
	Consumed vitamins and/or supplements to alleviate potential negative effects of drugs
	Checked appearance/smell of drug to see if it matched expectations before use
	Other (specify)
	Don't know
	Skip question

I am going to ask you about a number of behaviours, which you may have done with or for friends who were using ecstasy or related drugs. This may have been while you were also using ecstasy or related drugs, or while you were sober. In the last 12 months, have you done any of the following:

✓	
	None
	Called an ambulance, support line, or attended a health service with or on behalf of someone using drugs
	Taken friends home from an event, venue, or session who were intoxicated or at risk of harm
	Encouraged friends to monitor their water intake and/or temperature levels when using
	Monitored somebody else's dosage for safety precautions
	"Trip sat" with someone and coached their breathing and concentration
	Administered first aid to a friend who was using drugs
	Not included people who engaged in more risky drug use practices into a friendship group (includes poly drug use, injecting drug use, or other practices)
	Don't know
	Skip question

Modes of Purchasing

Social networking and messaging

apps: Refers to a type of online community such as Facebook or Instagram; messaging apps such as


Whatsapp and snapchat; and dating apps like grindr and tinder.



Surface web: Any website accessible without the need for any special connection routing with a '.com' address.



Dark web: Any website only accessible via The Onion Router (TOR) with a '.onion' URL (e.g. Dark Market, White House Market, Monopoly Market, Cannazon).



Face-to-Face: Refers to purchasing illicit drugs in person.



Stimulant Drugs

- Ecstasy (MDMA)
- Methamphetamine
- Cocaine
- MDA
- Non-prescribed Pharmaceutical stimulants (e.g., modafinil, dexamphetamine, Ritalin)
- PMA
- PMMA
- New Psychoactive Substances (NPS):
 - 3-chloromethcathinone
 - 3 – Methyilmethcathinone
 - 4-Chloromethcathinone
 - 4-FA
 - Alpha PVP
 - Alpha PHP
 - Dimethylpentylone
 - MDPV
 - Mephedrone
 - Methcathinone
 - Methylone
 - N-ethylpentylone (ephylone)
 - N-ethyl hexedrone
 - N-ethylbutylone (eutylone)
 - Other 'new' drugs that mimic the effect of ecstasy
 - Other 'new' drugs that mimic the effect of amphetamines and cocaine